

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A computer printer printable self-adhesive label set for use with a computer postage system, the label set ~~comprising~~consisting of:

a first label on a layer of self-adhesive label stock, comprising a postage indicia label, wherein the postage indicia label is adapted to be printed with a printing consisting of postage indicia, the postage indicia label comprising a postage label height and a postage label length; [[and]]

a second label on the layer of self-adhesive label stock, comprising a first one-dimensional barcode label, the first one-dimensional barcode label comprising a set of dimensions adapted for receiving a printing consisting of a first one-dimensional barcode[[,]] representing a set of mailing identification information, the first one-dimensional barcode comprising a one-dimensional barcode length and a one-dimensional barcode height, the set of dimensions comprising a label length and a label height, the label length at least as long as the one-dimensional barcode length and the label height at least as high as the one-dimensional barcode height, wherein the label height is less than the postage label height and wherein the label height is less than the postage label length; and

a third label on the layer of self-adhesive label stock, comprising a second one-dimensional barcode label, the second one-dimensional barcode comprising the set of dimensions, and adapted for receiving a printing consisting of a second one-dimensional barcode representing a set of address information.

2. (Currently Amended) A computer printer printable self-adhesive label set arranged on a top, self-adhesive layer of a sheet of self-adhesive label stock for use with a computer postage system, the label set ~~comprising~~consisting of:

a first label disposed on the top self-adhesive layer of the sheet of self-adhesive label stock, the first label consisting of a postage indicia label, wherein the postage indicia label is adapted to receive printing consisting of postage indicia;

a second label disposed on the top self-adhesive layer of the sheet of self-adhesive label stock, the second label consisting of a first barcode label, wherein the first barcode label is adapted to receive printing consisting of a first one-dimensional barcode representing mailing identification information, the first barcode label comprising a label length and a label height, the one-dimensional barcode comprising a one-dimensional barcode length and a one-dimensional barcode height, the label length exceeding the one-dimensional barcode length and the label height exceeding the one-dimensional barcode height; and

a third label disposed on the top self-adhesive layer of the sheet of self-adhesive label stock, the third label consisting of a ~~return address label, wherein the return address label is adapted to receive printing of a return address of a mailer~~ second barcode label, wherein the second barcode label is adapted to receive printing consisting of a second barcode representing delivery address information.

3. (Previously Presented) The computer printer printable self-adhesive label set of Claim 2, the label length measuring approximately 2.875 inches and the label height measuring approximately .3 inches.

4. (Currently Amended) A sheet of a plurality of computer printer printable self-adhesive label sets for use with a computer postage system, each computer printer printable self-adhesive label set of the plurality of computer printer printable self-adhesive label sets comprising:

a first label arranged in a portrait orientation with respect to the sheet, the first label comprising a postage indicia label, wherein the postage indicia label is adapted to be printed with postage indicia according to postage indicia requirements in portrait orientation with respect to the sheet; and

a second label arranged in a landscape orientation with respect to the sheet and with respect to the first label, the second label comprising a first one-dimensional

barcode label, wherein the first one-dimensional barcode label is adapted to be printed with a printing consisting of a one-dimensional barcode according to one-dimensional barcode requirements in landscape orientation with respect to the sheet;

wherein the sheet comprises a top self-adhesive layer backed by a backing layer;

wherein each computer printer printable self-adhesive label set is arranged on the top layer of self-adhesive label stock in proximity to at least one other computer printer printable self-adhesive label set.

5. (Currently Amended) A sheet of a plurality of computer printer printable self-adhesive label sets for use with a computer postage system, the sheet comprising a sheet height and a sheet width, wherein the sheet height is greater than the sheet width, each computer printer printable self-adhesive label arrangement set arranged on a top self-adhesive layer of a sheet of self-adhesive label stock, each computer printer printable self-adhesive label set comprising:

a first label comprising a postage indicia label, the first label comprising a first label height and a first label width, wherein the first label height is greater than the first label width, wherein the postage indicia label is adapted to be printed with postage indicia according to postage indicia requirements, the first label being adapted to be printed with postage indicia in portrait orientation with respect to the first label;

a second label comprising a first barcode label, the second label comprising a second label height and a second label width, wherein the second label width is greater than the second label height, wherein the first barcode label is adapted to be printed with a printing consisting of a first one-dimensional barcode representing mailing identification information according to one-dimensional barcode requirements, the first barcode label being arranged on the sheet in a landscape orientation with respect to the first label, ~~the barcode label.~~

6. (Currently Amended) The sheet of a plurality of computer printer printable self-adhesive label sets of Claim 5, wherein the first label of each computer printer printable self-adhesive label set is disposed in a portrait orientation with respect to a portrait orientation of the sheet so that the first label width is parallel to the sheet width, and

wherein the barcode label is disposed in a landscape orientation with respect to the [[sheet]]first label so that the second label width is parallel to the sheet width.

7. (Currently Amended) A method for printing postage indicia and mail piece tracking information onto a single sheet of self-adhesive labels containing ~~at least one a~~ plurality of self-adhesive label arrangement sets, the method comprising:

directing a computer postage system to print postage indicia according to a set of postage indicia requirements on a rectangular postage indicia label of a first self-adhesive label arrangement set of the plurality of self-adhesive label arrangement sets in a portrait orientation with respect to the rectangular postage indicia label and within a perimeter of the rectangular postage indicia label; [[and]]

directing the computer postage system to print a first one-dimensional barcode representing mail piece tracking information according to a first set of one-dimensional barcode requirements on a first rectangular barcode label of the first self-adhesive label arrangement set in a landscape orientation with respect to the first rectangular barcode postage indicia label, and within a perimeter of the first rectangular barcode label; and

directing the computer postage system to print a second one-dimensional barcode representing delivery address information according to a second set of one-dimensional barcode requirements on a second rectangular barcode label of the first self-adhesive label arrangement set in a landscape orientation with respect to the second rectangular barcode label and within a perimeter of the second rectangular barcode label.

Claims 8-12. Cancelled.

13. (Currently Amended) A method for printing postage indicia and mailing tracking information onto a particular label arrangement set on a single sheet of self-adhesive labels, wherein the single sheet of self-adhesive labels comprises a plurality of label arrangement sets, and wherein each label arrangement set comprises a plurality of labels, the method comprising:

directing a computer postage system to print postage indicia according to a set

of postage indicia requirements on a first oblong label of [[the]] a particular label arrangement set in a portrait orientation with respect to the first oblong label and within a perimeter of the first oblong label, wherein the first oblong label of the particular label arrangement set is adapted to receive printing consisting of postage indicia; and

directing the computer postage system to print a first graphic symbology representing mail piece tracking information according to a set of graphic symbology requirements on a second oblong label of the particular label arrangement set in a landscape orientation with respect to the first oblong label and within a perimeter of the second oblong label.

Claims 14-18      Cancelled.

19. (Currently Amended) The method of Claim 13, wherein the first oblong label is disposed on the single sheet in a portrait orientation with respect to a portrait orientation of the single sheet, wherein directing the computer postage system to print postage indicia on the first oblong label in a portrait orientation with respect to the first oblong label, comprises directing the computer postage system to print postage indicia on the first oblong label in [[a]]the portrait orientation with respect to the single sheet[[ ]], and wherein the second oblong label is disposed on the single sheet in a landscape orientation with respect to a landscape orientation of the single sheet, and wherein directing the computer postage system to print the graphic symbology on the second oblong label comprises directing the computer postage system to print the graphic symbology on the second oblong label in [[a]]the landscape orientation with respect to the single sheet.

20. (Previously Presented) The method of Claim 13, wherein the first oblong label is disposed on the single sheet in a portrait orientation with respect to a landscape orientation with respect to of the single sheet, wherein directing the computer postage system to print postage indicia on the first oblong label in a portrait orientation with respect to the first oblong label, comprises directing the computer postage system to print postage indicia on the first oblong label in portrait orientation with respect to the

first oblong label with respect to the [[a ]]landscape orientation with respect to of the single sheet[[ ]], and wherein the second oblong label is disposed on the single sheet in a portrait orientation with respect to the single sheet, and wherein directing the computer postage system to print the graphic symbology on the second oblong label comprises directing the computer postage system to print the graphic symbology on the second oblong label in a portrait orientation with respect to the single sheet.

21. (Currently Amended) The method of Claim 7,

wherein directing the computer postage system to print postage indicia in a portrait orientation on a rectangular postage indicia label of the first self-adhesive label arrangement set comprises[[:]] instructing the computer postage system to format postage indicia in a portrait orientation with respect to the single sheet for printing on a ~~portrait-oriented~~ rectangular postage indicia label that is disposed on the single sheet in a portrait orientation with respect to a portrait orientation of the single sheet, and

wherein directing the computer postage system to print a one-dimensional barcode on a rectangular barcode label of the first self-adhesive label arrangement set in landscape orientation comprises instructing the computer postage system to format the one-dimensional barcode in a landscape orientation with respect to the single sheet for printing on the rectangular barcode label that is disposed on the single sheet in a landscape orientation with respect to the landscape orientation of the single sheet.

22. (Currently Amended) The method of Claim 7,

wherein directing the computer postage system to print postage indicia in a portrait orientation on a rectangular postage indicia label of the first self-adhesive label arrangement set comprises instructing the computer postage system to format postage indicia for printing on a rectangular postage indicia label that is disposed on the single sheet in a portrait orientation with respect to a landscape orientation of the single sheet,

wherein directing the computer postage system to print a one-dimensional barcode on a barcode label of the first self-adhesive label arrangement set in landscape orientation comprises: instructing the computer postage system to format the one-

~~dimensional barcode in a landscape orientation with respect the single sheet for printing on a landscape-oriented barcode label.~~

Claims 23-28.           Cancelled.

29.     (New) The computer printer printable self-adhesive label set of Claim 2, wherein:  
the first label is disposed on an oblong sheet of self-adhesive label stock in a portrait orientation with respect to the oblong sheet and is adapted for receiving printing consisting of postage indicia in a portrait orientation with respect to the portrait orientation of the first label and the oblong sheet;

the second label is disposed on the oblong sheet in proximity to the first label, is disposed in a landscape orientation with respect to the oblong sheet and is adapted for receiving printing consisting of the first one-dimensional barcode in a landscape orientation with respect to the landscape orientation of the second label and of the oblong sheet; and

the third label is disposed on the rectangular sheet in proximity to the second label, is disposed in a landscape orientation with respect to the oblong sheet and is adapted for receiving printing consisting of the second one-dimensional barcode in a landscape orientation with respect to the landscape orientation of the third label and of the oblong sheet.

30.     (New) The sheet of a plurality of computer printer printable self-adhesive label sets for use with a computer postage system of Claim 4, each computer printer printable self-adhesive label set of the plurality of computer printer printable self-adhesive label sets further comprising:

a third label on the layer of self-adhesive label stock, comprising a second one-dimensional barcode label, the second one-dimensional barcode comprising the set of dimensions, and adapted for receiving a printing consisting of a second one-dimensional barcode according to one-dimensional barcode requirements representing a set of address information.

31. (New) The sheet of a plurality of computer printer printable self-adhesive label sets of Claim 5, wherein the first label of each computer printer printable self-adhesive label set is disposed in a portrait orientation with respect to a landscape orientation of the sheet so that the first label width is parallel to the sheet height, and wherein the barcode label is disposed in a landscape orientation with respect to the first label so that the second label width is parallel to the sheet height.

32. (New) The sheet of a plurality of computer printer printable self-adhesive label sets of Claim 31, each computer printer printable self-adhesive label set further comprising:

a third label comprising a second barcode label, the third label comprising a third label height and a third label width, wherein the third label width is greater than the third label height, wherein the second barcode label is adapted to be printed with a printing consisting of a second one-dimensional barcode representing delivery address information, the second barcode label being arranged on the sheet in a landscape orientation with respect to the first label and parallel to the first barcode label.

33. (New) The method of Claim 13 for printing postage indicia and mailing tracking information onto a particular label arrangement set on a single sheet of self-adhesive labels, the method further comprising:

directing the computer postage system to print a second graphic symbology representing delivery address information on a third oblong label of the particular label arrangement set in a landscape orientation with respect to the third oblong label, wherein the third oblong label of the particular label arrangement set is adapted to receive printing consisting of the second graphic symbology according to the set of graphic symbology requirements.